Lovibond® Water Testing

Tintometer® Group



Single Syringe Legionella Field Test™

This kit is designed to test for Legionella in risk areas identified by CDC*such as:

- Domestic and industrial hot and cold water systems.
- Cooling towers.
- Decorative fountains, hot tubs and pools.
- Sinks and showers.
- Misters, sprinklers, air washers, humidifiers and more.



Single Syringe Legionella Field Test™ product code 56B006105


*The Centers for Disease Control and Prevention (CDC) is a federal agency that conducts and supports health promotion, prevention and preparedness activities in the United States, with the aim of improving overall public health.

The test contains all the items required to perform 1 test.

- The test detects Legionella pneumophila serogroup 1 (LpSG1).
- With filtration step, the sensitivity of the water test is 100 CFU/L.
- The test detects Viable-But-Non-Culturable Bacteria and Legionella SG1 in all stages of its life-cycle.
- No need to measure or dilute solutions.
- Provides straightforward results, on-site, within 25–35 minutes.

- The test is simple to use, no interpretation is required.
- The test helps to minimise delays and downtime.
- Minimises delays and downtime.
- Regular use increases confidence in Legionella controls.
- The smartphone App reader provides independent record of results (download the App for free from the App store or Play Store).

The Lovibond® Legionella Field Test™ uses Lateral Flow Immunochromatographic Assay (LFICA) technology to detect the presence of cell surface antigens from Legionella bacteria. It uses Legionella antibodies, tagged with red nanoparticles, which bind to any bacteria found in the sample and make them visible on a line on the device. The test works just like a pregnancy test - one line indicates a negative result and two lines indicate a positive result.



Lovibond® Water Testing

Tintometer® Group



Single (Syringe) Legionella Kit

Bacteria detected	Legionella pneumophila serogroup 1	
Detection method	Lateral flow immunochromatographic assay	
Limit of detection	As low as 100 CFU/L (0.1 CFU/mL)	
Specificity	Tested against a wide range of waterborne bacteria, including Acinetobacter calcoaceticus, Aeromonas hydrophila subsp. hydrophila, Bacillus subtilis, Burkholderia cepacia, Citrobacter freundii, Citrobacter koseri, Escherichia coli, Enterobacter cloacae, Klebsiella oxytoca, Pseudomonas aeruginosa, Pseudomonas fluorescens, Pseudomonas putida, Pseudomonas stutzeri, Ralstonia pickettii, Raoultella terrigena, Streptococcus pyogenes, Yersinia ruckeri. No cross reactions have been observed at concentrations ≤ 10° CFU/L. Staphylococcus aureus has been observed to cross-react with the test at concentrations > 10° CFU/L, which is higher than found in most water samples.	
	Organism	≥cfu/mL
	L.p Sg-2,3,8,11,13,14	1.00E+08
	L.p. Sg-4,5,6,7,9,10,15	1.00E+07
	L.p. Sg-12 S.aureus	8.00E+06 2.00E+08
	The Lovibond® Legionella pneumophila SG1 test has been shown to produce	
	weak positive results with other legionella pneumophila serogroups at the cfu/mL stated in the above table.	
Test Volume	100 μL	
Suggested sample volume	250 mL	
Sample parameters	Sample should filter in less than 10 minutes.	
Biocides	es The product has been tested with a range of common biocides and biodispersants used in Legionella control, at their normal maximum operating concentration. Active ingredients tested include: glutaraldehyde, didecyl-dimethyl-ammonium chloride, isolthazoles, dibromonitrilopropionamide, ionic and non-ionic surfactants.	
	The test gives a false positive if used with systems treated with polymeric biguanide or THPS. It should not be used to test such systems.	
Operator time	5–10 minutes	
Test time	25 minutes	
Shelf life	18 months from date of manufacture, when stored at room temperature $(<30^{\circ}C)$ in original packaging. All test strips are hermetically foil-wrapped and with a printed expiry date.	